

Class 1

Serenex Showers

Product Disclosure Information

Self-Assessment

Version: V1001

Product name	Serenex Showers
Product line	
Product identifier	Crest Serenex Showers

Product Description

The Serenex Hinged showers offer 10mm safety glass, and the 55mm fibreglass-reinforced acrylic base ensures durability and stability, EasyClean centre waste, glazing channels, and hardware. The standard hardware finish is chrome, although available in black, brushed brass, gun metal and brushed nickel. Available as a hinged or sliding Alcove or Corner. Sizes range from 900mm to 1800mm, with the glass being 1960mm high.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1, F2.3.3

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

Contributions to compliance

B2.3.1: The Serenex shower is warranted for 10 years when installed as per the installation instructions.

F2.3.1: All glass supplied is toughened safety glass, complying with NZS 4223.3. The product is safe to handle.

G1.3.2: Easy-to-clean and does not harbour germs.

G12.3.5: Shower requires hot water for personal washing, showering, or bathing.

Scope of use

The Serenex Showers are suitable for use in domestic and commercial bathrooms. Available as a corner or alcove with hinged and sliding door openings. To be installed on top of existing flooring (Timber or Concrete).

Conditions of use

This shower must be installed in accordance with the installation instructions supplied with the product and available <https://crestshowers.co.nz/resources>

The waste fitting must be installed by a registered plumber as outlined in the installation instructions supplied.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Serenex Installation instructions and warranty	5001	https://crestshowers.co.nz/resources
Serenex Spec Sheets	2023	https://crestshowers.co.nz/resources
Crest Product Catalogue	2023	https://crestshowers.co.nz/resources

Contact details

Manufacture location	New Zealand
Legal and trading name of the manufacturer	Crest Group Limited
Manufacturer address for service	5 Stonehill Drive Auckland 2104
Manufacturer website	www.crestshowers.co.nz
Manufacturer email	sales@crestshowers.co.nz
Manufacturer phone number	0800404042
Manufacturer NZBN	9429030266377

Warnings and bans

Is the building product/building product line subject to a warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Shower units

	Yes	No
Inclusion of glass or brittle material	x	
Suitable for accessible facilities		x
Integrated taps/plumbing		x
Shower flooring only		x

Building code performance clauses

All relevant building code performance clauses are listed in this document:

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if: the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and failure of those building elements to comply with the building code would be easily detected during normal use of the building.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction* of *buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

F2.3.3

Glass or other brittle materials with which people are likely to come into contact shall:

- if broken on impact, break in a way which is unlikely to cause injury, or
- resist a reasonably foreseeable impact without breaking, or
- be protected from impact.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid the risk of food contamination,
- c. avoid harboring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

G12 Water Supplies

G12.3.2

A potable *water supply system* must be—

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.